


ANDCO ACTUATORS

ANDCO ACTUATORS	MOUNTED	LOOSE
ACTUATOR FOR VALVE WITH BUILT IN LIMIT SWITCHES	✱	✱
OPTIONAL ADD-ONS:		
POTENTIOMETER	✱	✱
3 PHASE MOTOR - 230V - FACTORY INSTALLED	✱	✱
COMPARTMENT HEATER	✱	✱

ANDCO ACTUATOR MOUNTED ON A K-STYLE PAN VALVE



ANDCO ACTUATORS

PRODUCE 750 ft/lbs OF WORKING LOAD

OPERATE AT .8 INCHES PER SECOND

Andco Actuators are available in 1ph or 3ph and come hazardous duty standard. They are pre-wired from the factory with the limit switches and motor (power) wired together. They are available with a built-in potentiometer. No tools necessary to adjust the limit switches. Andco Actuators produce 750 ft/lbs of working load and operates at .8 inches per second. They are American made in Houston, TX.

JOYCE-DAYTON DRIVES

JOYCE - DAYTON DRIVES (standard 1/2 hp motor)	MOUNTED	LOOSE
110V-1ph TEFC WITH INTERNAL LIMIT SWITCHES	✱	✱
208-230/460V-3ph TEFC WITH INTERNAL LIMIT SWITCHES	✱	✱
110V-1ph EXPLOSION PROOF WITH EXTERNAL LIMIT SWITCHES	✱	✱
208-230/460V-3ph EXPLOSION PROOF WITH EXTERNAL LIMIT SWITCHES	✱	✱

JOYCE-DAYTON DRIVE ON A Y-STYLE PAN VALVE



JOYCE-DAYTON DRIVES

1/3 hp—375 ft/lbs OF WORKING LOAD

1/2 hp—550 ft/lbs OF WORKING LOAD

3/4 hp—850 ft/lbs OF WORKING LOAD

OPERATE AT 1.43 INCHES PER SECOND

Joyce-Dayton drives are available in 1ph or 3ph (motor is C-faced to actuator) and come as either TEFC weathertight or Nema 9 explosion proof. They operate at 1.43 inches per second. They require separate wiring for motor (power) and the limit switches, though the TEFC models have built in limit switches. Potentiometers are unavailable for Joyce-Dayton drives. The 1/3 hp Motor drive produces 375 lbs of force, the 1/2 hp Motor drive produces 550 lbs of force, and the 3/4 hp Motor drive produces 850 lbs force. Joyce-Dayton drives are American made in Dayton, OH.

PREMIUM VALVE DRIVES