

HELICOID CONVEYOR SCREWS



Conveyor Dia.	Pipe I.D.	Pipe O.D.	Coupling Dia.	Part No. *	Flight Thickness	Length	Price
6"	2"	2-3/8"	1-1/2"	6H304	1/8" x 1/16"	9' 10"	★
				6H308	1/4" x 1/8"	9' 10"	★
				6H312	3/8" x 3/16"	9' 10"	★
9"	2"	2-3/8"	1-1/2"	9H306	3/16" x 3/32"	9' 10"	★
				9H312	3/8" x 3/16"	9' 10"	★
9"	2-1/2"	2-7/8"	2"	9H406	3/16" x 3/32"	9' 10"	★
				9H412	3/8" x 3/16"	9' 10"	★
				9H414	7/16" x 7/32"	9' 10"	★
10"	2"	2-3/8"	1-1/2"	10H306	3/16" x 3/32"	9' 10"	★
	2-1/2"	2-7/8"	2"	10H412	3/8" x 3/16"	9' 10"	★
12"	2-1/2"	2-7/8"	2"	12H408	1/4" x 1/8"	11' 10"	★
				12H412	3/8" x 3/16"	11' 10"	★
12"	3"	3-1/2"	2-7/16"	12H508	1/4" x 1/8"	11' 9"	★
				12H512	3/8" x 3/16"	11' 9"	★
12"	3-1/2"	4"	3"	12H614	7/16" x 7/32"	11' 9"	★
14"	3"	3-1/2"	2-7/16"	14H508	1/4" x 1/8"	11' 9"	★
14"	3-1/2"	4"	3"	14H614	7/16" x 7/32"	11' 9"	★
16"	3-1/2"	4"	3"	16H610	5/16" x 5/32"	11' 9"	★
	4"	4-1/2"	3"	16H614	7/16" x 7/32"	11' 9"	★
18"	3-1/2"	4"	3"	18H610	5/16" x 5/32"	11' 9"	★

HELICOID CONVEYOR FLIGHTS



Conveyor Dia.	Pipe I.D.	Pipe O.D.	Coupling Dia.	Part No. *	Flight Thickness	Length	Price
6"	2"	2-3/8"	1-1/2"	6HF304	1/8" x 1/16"	9' 10"	★
				6HF308	1/4" x 1/8"	9' 10"	★
				6HF312	3/8" x 3/16"	9' 10"	★
9"	2"	2-3/8"	1-1/2"	9HF306	3/16" x 3/32"	9' 10"	★
				9HF312	3/8" x 3/16"	9' 10"	★
9"	2-1/2"	2-7/8"	2"	9HF406	3/16" x 3/32"	9' 10"	★
				9HF412	3/8" x 3/16"	9' 10"	★
				9HF414	7/16" x 7/32"	9' 10"	★
10"	2"	2-3/8"	1-1/2"	10HF306	3/16" x 3/32"	9' 10"	★
	2-1/2"	2-7/8"	2"	10HF412	3/8" x 3/16"	9' 10"	★
12"	2-1/2"	2-7/8"	2"	12HF408	1/4" x 1/8"	11' 10"	★
				12HF412	3/8" x 3/16"	11' 10"	★
12"	3"	3-1/2"	2-7/16"	12HF508	1/4" x 1/8"	11' 9"	★
				12HF512	3/8" x 3/16"	11' 9"	★
12"	3-1/2"	4"	3"	12HF614	7/16" x 7/32"	11' 9"	★
14"	3"	3-1/2"	2-7/16"	14HF508	1/4" x 1/8"	11' 9"	★
14"	3-1/2"	4"	3"	14HF614	7/16" x 7/32"	11' 9"	★
16"	3-1/2"	4"	3"	16HF610	5/16" x 5/32"	11' 9"	★
	4"	4-1/2"	3"	16HF614	7/16" x 7/32"	11' 9"	★
18"	3-1/2"	4"	3"	18HF610	5/16" x 5/32"	11' 9"	★

Contact a Premier representative for any sizes and lengths not listed.

* Specify RH (right hand) or LH (left hand) when ordering, i.e. 6H304RH.

Contact Premier for Stainless steel, plastic, AR Steel or other specialty screw requirements.