

Distributed by:



Distributor TH Style Weights

*galv adds roughly 4% to housing		WEIGHT IN LBS OF: (BASED ON 10GA AR LINER)												
PART NUMBER	DESCRIPTION	DISTRIBUTOR HOUSING	INSPECTION DOOR	INNER SPOUT	INLET STUB	INLET STUB LINER	INNER SPOUT LINER	OUTLET LINER	ASSEMBLED NO LINER	ASSEMBLED DISTRIBUTOR LINED INLET	ASSEMBLED DISTRIBUTOR LINED INNER SPOUT	ASSEMBLED DISTRIBUTOR LINED OUTLETS	DISTRIBUTOR LINED INNER SPOUT & OUTLETS	ASSEMBLED DISTRIBUTOR FULLY LINED
502100	DISTRIBUTOR TH 6"-4-45° FB P	108	9	42	8	5	7	9	167	172	174	176	183	188
502101	DISTRIBUTOR TH 6"-4-45° FR P	119	9	42	8	5	7	9	178	183	185	187	194	199
502500	DISTRIBUTOR TH 6"-4-60° FB P	125	11	51	8	5	10	9	195	200	205	204	214	219
502501	DISTRIBUTOR TH 6"-4-60° FR P	137	11	51	8	5	10	9	207	212	217	216	226	231
502103	DISTRIBUTOR TH 6"-6-45° FB P	150	10	49	8	5	9	13	217	222	226	230	239	244
502102	DISTRIBUTOR TH 6"-6-45° FR P	128	9	42	8	5	7	14	187	192	194	201	208	213
502503	DISTRIBUTOR TH 6"-6-60° FB P	173	13	61	9	5	13	13	256	261	269	269	282	287
502502	DISTRIBUTOR TH 6"-6-60° FR P	146	11	51	8	5	10	13	216	221	226	229	239	244
502120	DISTRIBUTOR TH 6"-8-45° FB G	191	11	52	8	5	10	18	262	267	272	280	290	295
502104	DISTRIBUTOR TH 6"-8-45° FB P	184	11	52	8	5	10	18	255	260	265	273	283	288
502105	DISTRIBUTOR TH 6"-8-45° FR P	142	9	43	8	5	7	18	202	207	209	220	227	232
502504	DISTRIBUTOR TH 6"-8-60° FB P	210	13	65	9	5	14	18	297	302	311	315	329	334
502505	DISTRIBUTOR TH 6"-8-60° FR P	162	11	52	8	5	10	18	233	238	243	251	261	266
502108	DISTRIBUTOR TH 6"-10-45° FB P	268	16	64	8	5	13	22	356	361	369	378	391	396
502106	DISTRIBUTOR TH 6"-10-45° FR P	186	12	49	8	5	9	22	255	260	264	277	286	291
502508	DISTRIBUTOR TH 6"-10-60° FB P	309	18	81	9	5	18	22	417	422	435	439	457	462
502506	DISTRIBUTOR TH 6"-10-60° FR P	214	16	61	9	5	13	22	300	305	313	322	335	340
502109	DISTRIBUTOR TH 6"-12-45° FB P	331	16	70	8	5	15	27	425	430	440	452	467	472
502107	DISTRIBUTOR TH 6"-12-45° FR P	212	13	52	8	5	10	27	285	290	295	312	322	327
502509	DISTRIBUTOR TH 6"-12-60° FB P	380	18	90	9	5	21	26	497	502	518	523	544	549
502507	DISTRIBUTOR TH 6"-12-60° FR P	244	16	65	9	5	14	27	334	339	348	361	375	380
502110	DISTRIBUTOR TH 6"-14-45° FR P	264	15	58	8	5	12	31	345	350	357	376	388	393
502510	DISTRIBUTOR TH 6"-14-60° FR P	299	18	73	9	5	16	31	399	404	415	430	446	451
502111	DISTRIBUTOR TH 6"-16-45° FR P	331	16	64	8	5	13	35	419	424	432	454	467	472
502511	DISTRIBUTOR TH 6"-16-60° FR P	371	18	81	9	5	18	35	479	484	497	514	532	537
502512	DISTRIBUTOR TH 6"-18-60° FR P	439	18	90	9	5	21	40	556	561	577	596	617	622
502149	DISTRIBUTOR TH 8"-4-45° FB G	152	11	57	10	6	11	12	230	236	241	242	253	259
502150	DISTRIBUTOR TH 8"-4-45° FB P	146	11	57	10	6	11	12	224	230	235	236	247	253
502151	DISTRIBUTOR TH 8"-4-45° FR P	157	11	56	10	6	11	12	234	240	245	246	257	263
502565	DISTRIBUTOR TH 8"-4-60° FB G	179	15	70	11	8	15	12	275	283	290	287	302	310
502550	DISTRIBUTOR TH 8"-4-60° FB P	172	15	70	11	8	15	12	268	276	283	280	295	303
502551	DISTRIBUTOR TH 8"-4-60° FR P	187	14	68	11	7	15	12	280	287	295	292	307	314
502165	DISTRIBUTOR TH 8"-6-45° FB G	218	14	69	10	6	15	18	311	317	326	329	344	350
502153	DISTRIBUTOR TH 8"-6-45° FB P	210	14	69	10	6	15	18	303	309	318	321	336	342
502152	DISTRIBUTOR TH 8"-6-45° FR P	176	11	57	10	6	11	18	254	260	265	272	283	289
502553	DISTRIBUTOR TH 8"-6-60° FB P	249	18	87	11	7	20	17	365	372	385	382	402	409
502552	DISTRIBUTOR TH 8"-6-60° FR P	206	15	70	11	7	15	18	302	309	317	320	335	342
502166	DISTRIBUTOR TH 8"-8-45° FB G	276	14	74	10	6	16	23	374	380	390	397	413	419
502154	DISTRIBUTOR TH 8"-8-45° FB P	265	14	74	10	6	16	23	363	369	379	386	402	408
502155	DISTRIBUTOR TH 8"-8-45° FR P	203	11	60	10	6	12	24	284	290	296	308	320	326
502554	DISTRIBUTOR TH 8"-8-60° FB P	313	18	94	11	7	22	23	436	443	458	459	481	488
502555	DISTRIBUTOR TH 8"-8-60° FR P	237	15	74	11	7	16	23	337	344	353	360	376	383
502167	DISTRIBUTOR TH 8"-10-45° FB G	406	19	92	10	6	21	29	527	533	548	556	577	583
502158	DISTRIBUTOR TH 8"-10-45° FB P	390	19	92	10	6	21	29	511	517	532	540	561	567
502156	DISTRIBUTOR TH 8"-10-45° FR P	263	16	69	10	6	15	29	358	364	373	387	402	408
502558	DISTRIBUTOR TH 8"-10-60° FB P	464	21	119	11	7	29	29	615	622	644	644	673	680
502556	DISTRIBUTOR TH 8"-10-60° FR P	315	21	87	11	7	20	29	434	441	454	463	483	490

Distributor TH Style Weights

*galv adds roughly 4% to housing		WEIGHT IN LBS OF: (BASED ON 10GA AR LINER)												
PART NUMBER	DESCRIPTION	DISTRIBUTOR HOUSING	INSPECTION DOOR	INNER SPOUT	INLET STUB	INLET STUB LINER	INNER SPOUT LINER	OUTLET LINER	ASSEMBLED DISTRIBUTOR NO LINER	ASSEMBLED DISTRIBUTOR LINED INLET	ASSEMBLED DISTRIBUTOR LINED INNER SPOUT	ASSEMBLED DISTRIBUTOR LINED OUTLETS	DISTRIBUTOR LINED INNER SPOUT & OUTLETS	ASSEMBLED DISTRIBUTOR FULLY LINED
502163	DISTRIBUTOR TH 8"-11-45° FR P	308	16	74	10	6	16	32	408	414	424	440	456	462
502159	DISTRIBUTOR TH 8"-12-45° FB P	503	21	101	10	6	24	35	635	641	659	670	694	700
502157	DISTRIBUTOR TH 8"-12-45° FR P	316	16	74	10	6	16	35	416	422	432	451	467	473
502563	DISTRIBUTOR TH 8"-12-60° FB G	618	21	140	11	7	33	34	790	797	823	824	857	864
502559	DISTRIBUTOR TH 8"-12-60° FB P	594	21	140	11	7	33	34	766	773	799	800	833	840
502557	DISTRIBUTOR TH 8"-12-60° FR P	367	21	94	11	7	22	35	493	500	515	528	550	557
502171	DISTRIBUTOR TH 8"-14-45° FB P	655	21	125	10	6	29	40	811	817	840	851	880	886
502160	DISTRIBUTOR TH 8"-14-45° FR P	404	19	83	10	6	19	41	516	522	535	557	576	582
502560	DISTRIBUTOR TH 8"-14-60° FR P	468	21	106	11	7	26	40	606	613	632	646	672	679
502161	DISTRIBUTOR TH 8"-16-45° FR P	489	19	92	10	6	21	46	610	616	631	656	677	683
502561	DISTRIBUTOR TH 8"-16-60° FR P	569	21	119	11	7	29	46	720	727	749	766	795	802
502162	DISTRIBUTOR TH 8"-18-45° FR P	612	21	101	10	6	24	52	744	750	768	796	820	826
502562	DISTRIBUTOR TH 8"-18-60° FR P	708	21	140	11	7	33	51	880	887	913	931	964	971
502265	DISTRIBUTOR TH 10"-4-45° FB G	186	13	75	13	8	16	15	287	295	303	302	318	326
502200	DISTRIBUTOR TH 10"-4-45° FB P	179	13	75	13	8	16	15	280	288	296	295	311	319
502201	DISTRIBUTOR TH 10"-4-45° FR P	185	13	72	13	8	15	15	283	291	298	298	313	321
502600	DISTRIBUTOR TH 10"-4-60° FB P	212	18	93	14	9	22	15	337	346	359	352	374	383
502601	DISTRIBUTOR TH 10"-4-60° FR P	221	17	88	14	9	20	15	340	349	360	355	375	384
502266	DISTRIBUTOR TH 10"-6-45° FB G	286	17	94	13	8	21	22	410	418	431	432	453	461
502203	DISTRIBUTOR TH 10"-6-45° FB P	275	17	94	13	8	21	22	399	407	420	421	442	450
502202	DISTRIBUTOR TH 10"-6-45° FR P	216	13	75	13	8	16	23	317	325	333	340	356	364
502603	DISTRIBUTOR TH 10"-6-60° FB P	319	21	119	14	9	30	22	473	482	503	495	525	534
502590	DISTRIBUTOR TH 10"-6-60° FR G	265	18	93	14	9	22	22	390	399	412	412	434	443
502602	DISTRIBUTOR TH 10"-6-60° FR P	254	18	93	14	9	22	22	379	388	401	401	423	432
502213	DISTRIBUTOR TH 10"-7-45° FR P	232	13	77	13	8	16	26	335	343	351	361	377	385
502267	DISTRIBUTOR TH 10"-8-45° FB G	370	18	102	13	8	24	29	503	511	527	532	556	564
502204	DISTRIBUTOR TH 10"-8-45° FB P	356	18	102	13	8	24	29	489	497	513	518	542	550
502205	DISTRIBUTOR TH 10"-8-45° FR P	257	13	81	13	8	17	30	364	372	381	394	411	419
502615	DISTRIBUTOR TH 10"-8-60° FB G	437	21	130	14	9	33	29	602	611	635	631	664	673
502604	DISTRIBUTOR TH 10"-8-60° FB P	420	21	130	14	9	33	29	585	594	618	614	647	656
502605	DISTRIBUTOR TH 10"-8-60° FR P	300	19	100	14	9	24	29	433	442	457	462	486	495
502268	DISTRIBUTOR TH 10"-10-45° FB G	548	21	128	13	8	31	36	710	718	741	746	777	785
502208	DISTRIBUTOR TH 10"-10-45° FB P	527	21	128	13	8	31	36	689	697	720	725	756	764
502206	DISTRIBUTOR TH 10"-10-45° FR P	355	17	94	13	8	21	37	479	487	500	516	537	545
502608	DISTRIBUTOR TH 10"-10-60° FB P	628	21	175	14	9	44	36	838	847	882	874	918	927
502606	DISTRIBUTOR TH 10"-10-60° FR P	404	21	119	14	9	30	36	558	567	588	594	624	633
502209	DISTRIBUTOR TH 10"-12-45° FB P	678	21	146	13	8	35	43	858	866	893	901	936	944
502207	DISTRIBUTOR TH 10"-12-45° FR P	422	18	102	13	8	24	44	555	563	579	599	623	631
502609	DISTRIBUTOR TH 10"-12-60° FB P	803	21	201	14	9	49	43	1039	1048	1088	1082	1131	1140
502607	DISTRIBUTOR TH 10"-12-60° FR P	490	21	130	14	9	33	43	655	664	688	698	731	740
502210	DISTRIBUTOR TH 10"-14-45° FR P	526	19	115	13	8	28	51	673	681	701	724	752	760
502610	DISTRIBUTOR TH 10"-14-60° FR P	613	21	148	14	9	38	50	796	805	834	846	884	893
502211	DISTRIBUTOR TH 10"-16-45° FR P	671	21	128	13	8	31	58	833	841	864	891	922	930
502611	DISTRIBUTOR TH 10"-16-60° FR P	778	21	175	14	9	44	57	988	997	1032	1045	1089	1098
502212	DISTRIBUTOR TH 10"-18-45° FR P	798	21	146	13	8	35	65	978	986	1013	1043	1078	1086
502612	DISTRIBUTOR TH 10"-18-60° FR P	929	21	201	14	9	49	64	1165	1174	1214	1229	1278	1287
502269	DISTRIBUTOR TH 12"-4-45° FB G	226	16	95	17	10	21	18	354	364	375	372	393	403

Distributor TH Style Weights

*galv adds roughly 4% to housing		WEIGHT IN LBS OF: (BASED ON 10GA AR LINER)												
PART NUMBER	DESCRIPTION	DISTRIBUTOR HOUSING	INSPECTION DOOR	INNER SPOUT	INLET STUB	INLET STUB LINER	INNER SPOUT LINER	OUTLET LINER	ASSEMBLED DISTRIBUTOR NO LINER	ASSEMBLED DISTRIBUTOR LINED INLET	ASSEMBLED DISTRIBUTOR LINED INNER SPOUT	ASSEMBLED DISTRIBUTOR LINED OUTLETS	DISTRIBUTOR LINED INNER SPOUT & OUTLETS	ASSEMBLED DISTRIBUTOR FULLY LINED
502250	DISTRIBUTOR TH 12"-4-45° FB P	217	16	95	17	10	21	18	345	355	366	363	384	394
502251	DISTRIBUTOR TH 12"-4-45° FR P	217	16	88	17	10	19	18	338	348	357	356	375	385
502650	DISTRIBUTOR TH 12"-4-60° FB P	257	21	117	18	11	29	18	413	424	442	431	460	471
502651	DISTRIBUTOR TH 12"-4-60° FR P	258	19	109	18	11	26	18	404	415	430	422	448	459
502271	DISTRIBUTOR TH 12"-5-45° FB G	258	16	98	17	10	22	23	389	399	411	412	434	444
502262	DISTRIBUTOR TH 12"-6-45° FB G	355	21	121	17	10	29	26	514	524	543	540	569	579
502253	DISTRIBUTOR TH 12"-6-45° FB P	341	21	121	17	10	29	26	500	510	529	526	555	565
502252	DISTRIBUTOR TH 12"-6-45° FR P	262	16	95	17	10	21	27	390	400	411	417	438	448
502653	DISTRIBUTOR TH 12"-6-60° FB P	406	25	154	18	11	40	26	603	614	643	629	669	680
502652	DISTRIBUTOR TH 12"-6-60° FR P	308	21	117	18	11	29	27	464	475	493	491	520	531
502649	DISTRIBUTOR TH 12"-7-60° FB G	506	25	167	18	11	44	30	716	727	760	746	790	801
502263	DISTRIBUTOR TH 12"-8-45° FB G	464	22	132	17	10	33	35	635	645	668	670	703	713
502254	DISTRIBUTOR TH 12"-8-45° FB P	446	22	132	17	10	33	35	617	627	650	652	685	695
502255	DISTRIBUTOR TH 12"-8-45° FR P	317	18	103	17	10	24	36	455	465	479	491	515	525
502654	DISTRIBUTOR TH 12"-8-60° FB P	528	25	170	18	11	45	34	741	752	786	775	820	831
502655	DISTRIBUTOR TH 12"-8-60° FR P	371	22	129	18	11	32	35	540	551	572	575	607	618
502258	DISTRIBUTOR TH 12"-10-45° FB P	662	25	172	16	10	43	43	875	885	918	918	961	971
502256	DISTRIBUTOR TH 12"-10-45° FR P	441	21	121	17	10	29	44	600	610	629	644	673	683
502658	DISTRIBUTOR TH 12"-10-60° FB P	792	25	235	18	11	60	42	1070	1081	1130	1112	1172	1183
502656	DISTRIBUTOR TH 12"-10-60° FR P	514	25	154	18	11	40	43	711	722	751	754	794	805
502270	DISTRIBUTOR TH 12"-12-45° FB G	865	25	190	16	10	48	51	1096	1106	1144	1147	1195	1205
502259	DISTRIBUTOR TH 12"-12-45° FB P	832	25	190	16	10	48	51	1063	1073	1111	1114	1162	1172
502257	DISTRIBUTOR TH 12"-12-45° FR P	529	22	132	17	10	33	52	700	710	733	752	785	795
502659	DISTRIBUTOR TH 12"-12-60° FB P	1014	25	261	18	11	67	51	1318	1329	1385	1369	1436	1447
502813	DISTRIBUTOR TH 12"-12-60° FR G	642	25	170	18	11	45	52	855	866	900	907	952	963
502657	DISTRIBUTOR TH 12"-12-60° FR P	617	25	170	18	11	45	52	830	841	875	882	927	938
502260	DISTRIBUTOR TH 12"-14-45° FR P	659	25	149	17	10	38	61	850	860	888	911	949	959
502660	DISTRIBUTOR TH 12"-14-60° FR P	772	25	203	18	11	52	60	1018	1029	1070	1078	1130	1141
502261	DISTRIBUTOR TH 12"-16-45° FR P	841	25	172	16	10	43	69	1054	1064	1097	1123	1166	1176
502661	DISTRIBUTOR TH 12"-16-60° FR P	979	25	235	18	11	60	68	1257	1268	1317	1325	1385	1396
502662	DISTRIBUTOR TH 12"-18-60° FR P	1171	25	261	18	11	67	76	1475	1486	1542	1551	1618	1629
502299	DISTRIBUTOR TH 14"-4-45° FB G	264	19	116	19	12	27	21	418	430	445	439	466	478
502300	DISTRIBUTOR TH 14"-4-45° FB P	254	19	116	19	12	27	21	408	420	435	429	456	468
502301	DISTRIBUTOR TH 14"-4-45° FR P	247	19	107	19	12	24	22	392	404	416	414	438	450
502700	DISTRIBUTOR TH 14"-4-60° FB P	301	26	145	21	13	37	21	493	506	530	514	551	564
502701	DISTRIBUTOR TH 14"-4-60° FR P	294	24	132	21	13	33	21	471	484	504	492	525	538
502313	DISTRIBUTOR TH 14"-6-45° FB G	424	24	151	19	12	38	31	618	630	656	649	687	699
502303	DISTRIBUTOR TH 14"-6-45° FB P	408	24	151	19	12	38	31	602	614	640	633	671	683
502302	DISTRIBUTOR TH 14"-6-45° FR P	305	19	116	19	12	27	32	459	471	486	491	518	530
502703	DISTRIBUTOR TH 14"-6-60° FB P	488	28	194	21	13	52	30	731	744	783	761	813	826
502702	DISTRIBUTOR TH 14"-6-60° FR P	359	26	145	21	13	37	31	551	564	588	582	619	632
502314	DISTRIBUTOR TH 14"-8-45° FB G	560	26	167	19	12	43	41	772	784	815	813	856	868
502304	DISTRIBUTOR TH 14"-8-45° FB P	538	26	167	19	12	43	41	750	762	793	791	834	846
502305	DISTRIBUTOR TH 14"-8-45° FR P	377	21	128	19	12	31	42	545	557	576	587	618	630
502704	DISTRIBUTOR TH 14"-8-60° FB P	641	28	215	21	13	59	40	905	918	964	945	1004	1017
502705	DISTRIBUTOR TH 14"-8-60° FR P	442	28	162	21	13	42	41	653	666	695	694	736	749
502713	DISTRIBUTOR TH 14"-8-60° FB G	667	28	215	21	13	59	40	931	944	990	971	1030	1043

Distributor TH Style Weights

*galv adds roughly 4% to housing		WEIGHT IN LBS OF: (BASED ON 10GA AR LINER)												
PART NUMBER	DESCRIPTION	DISTRIBUTOR HOUSING	INSPECTION DOOR	INNER SPOUT	INLET STUB	INLET STUB LINER	INNER SPOUT LINER	OUTLET LINER	ASSEMBLED DISTRIBUTOR NO LINER	ASSEMBLED DISTRIBUTOR LINED INLET	ASSEMBLED DISTRIBUTOR LINED INNER SPOUT	ASSEMBLED DISTRIBUTOR LINED OUTLETS	DISTRIBUTOR LINED INNER SPOUT & OUTLETS	ASSEMBLED DISTRIBUTOR FULLY LINED
502315	DISTRIBUTOR TH 14"-10-45° FB G	836	28	217	19	12	56	50	1100	1112	1156	1150	1206	1218
502308	DISTRIBUTOR TH 14"-10-45° FB P	804	28	217	19	12	56	50	1068	1080	1124	1118	1174	1186
502306	DISTRIBUTOR TH 14"-10-45° FR P	526	24	151	19	12	38	51	720	732	758	771	809	821
502708	DISTRIBUTOR TH 14"-10-60° FB P	967	28	296	21	13	78	49	1312	1325	1390	1361	1439	1452
502706	DISTRIBUTOR TH 14"-10-60° FR P	615	28	194	21	13	52	50	858	871	910	908	960	973
502309	DISTRIBUTOR TH 14"-12-45° FB P	1037	28	240	19	12	63	60	1324	1336	1387	1384	1447	1459
502307	DISTRIBUTOR TH 14"-12-45° FR P	636	26	167	19	12	43	61	848	860	891	909	952	964
502709	DISTRIBUTOR TH 14"-12-60° FB P	1240	28	328	21	13	88	59	1617	1630	1705	1676	1764	1777
502707	DISTRIBUTOR TH 14"-12-60° FR P	746	28	215	21	13	59	60	1010	1023	1069	1070	1129	1142
502310	DISTRIBUTOR TH 14"-14-45° FR P	833	28	195	19	12	50	71	1075	1087	1125	1146	1196	1208
502710	DISTRIBUTOR TH 14"-14-60° FR P	972	28	263	21	13	69	69	1284	1297	1353	1353	1422	1435
502311	DISTRIBUTOR TH 14"-16-45° FR P	1016	28	217	19	12	56	80	1280	1292	1336	1360	1416	1428
502711	DISTRIBUTOR TH 14"-16-60° FR P	1189	28	296	21	13	78	79	1534	1547	1612	1613	1691	1704
502312	DISTRIBUTOR TH 14"-18-45° FR P	1216	28	240	19	12	63	90	1503	1515	1566	1593	1656	1668
502712	DISTRIBUTOR TH 14"-18-60° FR P	1426	28	328	21	13	88	88	1803	1816	1891	1891	1979	1992
502349	DISTRIBUTOR TH 16"-4-45° FB G	305	22	142	22	13	34	25	491	504	525	516	550	563
502350	DISTRIBUTOR TH 16"-4-45° FB P	293	22	142	22	13	34	25	479	492	513	504	538	551
502351	DISTRIBUTOR TH 16"-4-45° FR P	278	22	128	22	13	29	25	450	463	479	475	504	517
502750	DISTRIBUTOR TH 16"-4-60° FB P	348	29	177	24	15	46	24	578	593	624	602	648	663
502751	DISTRIBUTOR TH 16"-4-60° FR P	331	28	158	24	15	40	24	541	556	581	565	605	620
502370	DISTRIBUTOR TH 16"-6-45° FB G	497	29	186	22	13	48	35	734	747	782	769	817	830
502353	DISTRIBUTOR TH 16"-6-45° FB P	478	29	186	22	13	48	35	715	728	763	750	798	811
502352	DISTRIBUTOR TH 16"-6-45° FR P	351	22	142	22	13	34	37	537	550	571	574	608	621
502753	DISTRIBUTOR TH 16"-6-60° FB P	576	32	239	24	15	66	35	871	886	937	906	972	987
502752	DISTRIBUTOR TH 16"-6-60° FR P	415	29	177	24	15	46	36	645	660	691	681	727	742
502354	DISTRIBUTOR TH 16"-8-45° FB P	653	32	207	22	13	54	47	914	927	968	961	1015	1028
502355	DISTRIBUTOR TH 16"-8-45° FR P	451	25	158	22	13	39	48	656	669	695	704	743	756
502754	DISTRIBUTOR TH 16"-8-60° FB P	780	32	277	24	15	75	46	1113	1128	1188	1159	1234	1249
502755	DISTRIBUTOR TH 16"-8-60° FR P	518	32	199	24	15	53	47	773	788	826	820	873	888
502358	DISTRIBUTOR TH 16"-10-45° FB P	958	32	267	22	13	72	57	1279	1292	1351	1336	1408	1421
502356	DISTRIBUTOR TH 16"-10-45° FR P	615	29	186	22	13	48	59	852	865	900	911	959	972
502758	DISTRIBUTOR TH 16"-10-60° FB P	1157	32	363	24	15	100	56	1576	1591	1676	1632	1732	1747
502756	DISTRIBUTOR TH 16"-10-60° FR P	724	32	239	24	15	66	58	1019	1034	1085	1077	1143	1158
502359	DISTRIBUTOR TH 16"-12-45° FB P	1237	32	321	22	13	80	68	1612	1625	1692	1680	1760	1773
502357	DISTRIBUTOR TH 16"-12-45° FR P	784	32	207	22	13	54	70	1045	1058	1099	1115	1169	1182
502759	DISTRIBUTOR TH 16"-12-60° FB P	1483	32	421	24	15	112	67	1960	1975	2072	2027	2139	2154
502757	DISTRIBUTOR TH 16"-12-60° FR P	917	32	277	24	15	75	69	1250	1265	1325	1319	1394	1409
502360	DISTRIBUTOR TH 16"-14-45° FR P	985	32	239	22	13	63	81	1278	1291	1341	1359	1422	1435
502760	DISTRIBUTOR TH 16"-14-60° FR P	1154	32	323	24	15	87	79	1533	1548	1620	1612	1699	1714
502361	DISTRIBUTOR TH 16"-16-45° FR P	1205	32	267	22	13	72	92	1526	1539	1598	1618	1690	1703
502761	DISTRIBUTOR TH 16"-16-60° FR P	1416	32	363	24	15	100	90	1835	1850	1935	1925	2025	2040
502362	DISTRIBUTOR TH 16"-18-45° FR P	1446	32	321	22	13	80	102	1821	1834	1901	1923	2003	2016
502762	DISTRIBUTOR TH 16"-18-60° FR P	1702	32	421	24	15	112	101	2179	2194	2291	2280	2392	2407
502399	DISTRIBUTOR TH 18"-4-45° FB G	417	26	217	28	17	41	56	688	705	729	744	785	802
502400	DISTRIBUTOR TH 18"-4-45° FB P	401	26	217	28	17	41	56	672	689	713	728	769	786
502401	DISTRIBUTOR TH 18"-4-45° FR P	379	26	193	28	17	35	56	626	643	661	682	717	734
502800	DISTRIBUTOR TH 18"-4-60° FB P	468	33	275	30	19	56	54	806	825	862	860	916	935

Distributor TH Style Weights

*galv adds roughly 4% to housing		WEIGHT IN LBS OF: (BASED ON 10GA AR LINER)												
PART NUMBER	DESCRIPTION	DISTRIBUTOR HOUSING	INSPECTION DOOR	INNER SPOUT	INLET STUB	INLET STUB LINER	INNER SPOUT LINER	OUTLET LINER	ASSEMBLED DISTRIBUTOR NO LINER	ASSEMBLED DISTRIBUTOR LINED INLET	ASSEMBLED DISTRIBUTOR LINED INNER SPOUT	ASSEMBLED DISTRIBUTOR LINED OUTLETS	DISTRIBUTOR LINED INNER SPOUT & OUTLETS	ASSEMBLED DISTRIBUTOR FULLY LINED
502801	DISTRIBUTOR TH 18"-4-60° FR P	442	31	241	30	19	48	55	744	763	792	799	847	866
502398	DISTRIBUTOR TH 18"-6-45° FB G	682	33	293	28	17	59	81	1036	1053	1095	1117	1176	1193
502403	DISTRIBUTOR TH 18"-6-45° FB P	656	33	293	28	17	59	81	1010	1027	1069	1091	1150	1167
502402	DISTRIBUTOR TH 18"-6-45° FR P	498	26	217	28	17	41	83	769	786	810	852	893	910
502803	DISTRIBUTOR TH 18"-6-60° FB P	776	36	381	30	19	82	80	1223	1242	1305	1303	1385	1404
502802	DISTRIBUTOR TH 18"-6-60° FR P	575	33	275	30	19	56	82	913	932	969	995	1051	1070
502404	DISTRIBUTOR TH 18"-8-45° FB P	1015	36	332	28	17	68	108	1411	1428	1479	1519	1587	1604
502405	DISTRIBUTOR TH 18"-8-45° FR P	649	30	246	28	17	48	110	953	970	1001	1063	1111	1128
502804	DISTRIBUTOR TH 18"-8-60° FB P	1070	36	435	30	19	93	106	1571	1590	1664	1677	1770	1789
502805	DISTRIBUTOR TH 18"-8-60° FR P	745	36	315	30	19	66	108	1126	1145	1192	1234	1300	1319
502408	DISTRIBUTOR TH 18"-10-45° FB P	1320	36	440	28	17	89	133	1824	1841	1913	1957	2046	2063
502406	DISTRIBUTOR TH 18"-10-45° FR P	875	33	293	28	17	59	135	1229	1246	1288	1364	1423	1440
502808	DISTRIBUTOR TH 18"-10-60° FB P	1566	36	581	30	19	124	132	2213	2232	2337	2345	2469	2488
502806	DISTRIBUTOR TH 18"-10-60° FR P	1009	36	381	30	19	82	134	1456	1475	1538	1590	1672	1691
502409	DISTRIBUTOR TH 18"-12-45° FB P	1657	36	488	28	17	100	159	2209	2226	2309	2368	2468	2485
502407	DISTRIBUTOR TH 18"-12-45° FR P	1106	36	332	28	17	68	161	1502	1519	1570	1663	1731	1748
502809	DISTRIBUTOR TH 18"-12-60° FB P	1962	36	647	30	19	139	158	2675	2694	2814	2833	2972	2991
502807	DISTRIBUTOR TH 18"-12-60° FR P	1272	36	435	30	19	93	160	1773	1792	1866	1933	2026	2045
502410	DISTRIBUTOR TH 18"-14-45° FR P	1376	36	378	28	17	78	187	1818	1835	1896	2005	2083	2100
502810	DISTRIBUTOR TH 18"-14-60° FR P	1586	36	499	30	19	109	185	2151	2170	2260	2336	2445	2464
502411	DISTRIBUTOR TH 18"-16-45° FR P	1671	36	440	28	17	89	213	2175	2192	2264	2388	2477	2494
502811	DISTRIBUTOR TH 18"-16-60° FR P	1933	36	581	30	19	124	211	2580	2599	2704	2791	2915	2934
502412	DISTRIBUTOR TH 18"-18-45° FR P	1990	36	488	28	17	100	239	2542	2559	2642	2781	2881	2898
502812	DISTRIBUTOR TH 18"-18-60° FR P	2308	36	647	30	19	139	237	3021	3040	3160	3258	3397	3416
502414	DISTRIBUTOR TH 20"-4-45° FB G	480	29	257	31	19	49	62	797	816	846	859	908	927
502413	DISTRIBUTOR TH 20"-4-45° FB P	461	29	257	31	19	49	62	778	797	827	840	889	908
502451	DISTRIBUTOR TH 20"-4-45° FR G	436	29	226	31	19	42	63	722	741	764	785	827	846
502450	DISTRIBUTOR TH 20"-4-45° FR P	419	29	226	31	19	42	63	705	724	747	768	810	829
502416	DISTRIBUTOR TH 20"-6-45° FB G	795	37	349	31	19	72	90	1212	1231	1284	1302	1374	1393
502415	DISTRIBUTOR TH 20"-6-45° FB P	764	37	349	31	19	72	90	1181	1200	1253	1271	1343	1362
502453	DISTRIBUTOR TH 20"-6-45° FR G	590	29	257	31	19	49	93	907	926	956	1000	1049	1068
502452	DISTRIBUTOR TH 20"-6-45° FR P	567	29	257	31	19	49	93	884	903	933	977	1026	1045
502418	DISTRIBUTOR TH 20"-8-45° FB G	1088	41	396	31	19	82	120	1556	1575	1638	1676	1758	1777
502417	DISTRIBUTOR TH 20"-8-45° FB P	1046	41	396	31	19	82	120	1514	1533	1596	1634	1716	1735
502455	DISTRIBUTOR TH 20"-8-45° FR G	765	34	293	31	19	58	122	1123	1142	1181	1245	1303	1322
502454	DISTRIBUTOR TH 20"-8-45° FR P	735	34	293	31	19	58	122	1093	1112	1151	1215	1273	1292
502420	DISTRIBUTOR TH 20"-10-45° FB G	1579	41	521	31	19	108	148	2172	2191	2280	2320	2428	2447
502419	DISTRIBUTOR TH 20"-10-45° FB P	1518	41	521	31	19	108	148	2111	2130	2219	2259	2367	2386
502457	DISTRIBUTOR TH 20"-10-45° FR G	1067	37	349	31	19	72	151	1484	1503	1556	1635	1707	1726
502456	DISTRIBUTOR TH 20"-10-45° FR P	1026	37	349	31	19	72	151	1443	1462	1515	1594	1666	1685
502422	DISTRIBUTOR TH 20"-12-45° FB G	1986	41	578	31	19	121	176	2636	2655	2757	2812	2933	2952
502421	DISTRIBUTOR TH 20"-12-45° FB P	1910	41	578	31	19	121	176	2560	2579	2681	2736	2857	2876
502459	DISTRIBUTOR TH 20"-12-45° FR G	1311	41	396	31	19	82	179	1779	1798	1861	1958	2040	2059
502458	DISTRIBUTOR TH 20"-12-45° FR P	1261	41	396	31	19	82	179	1729	1748	1811	1908	1990	2009
502433	DISTRIBUTOR TH 24"-4-45° FB G	592	37	339	37	23	68	75	1005	1028	1073	1080	1148	1171
502432	DISTRIBUTOR TH 24"-4-45° FB P	569	37	339	37	23	68	75	982	1005	1050	1057	1125	1148
502470	DISTRIBUTOR TH 24"-4-45° FR G	517	37	291	37	23	56	77	882	905	938	959	1015	1038

Distributor TH Style Weights

*galv adds roughly 4% to housing		WEIGHT IN LBS OF:													(BASED ON 10GA AR LINER)	
PART NUMBER	DESCRIPTION	DISTRIBUTOR HOUSING	INSPECTION DOOR	INNER SPOUT	INLET STUB	INLET STUB LINER	INNER SPOUT LINER	OUTLET LINER	ASSEMBLED DISTRIBUTOR NO LINER	ASSEMBLED DISTRIBUTOR LINED INLET	ASSEMBLED DISTRIBUTOR LINED INNER SPOUT	ASSEMBLED DISTRIBUTOR LINED OUTLETS	DISTRIBUTOR LINED INNER SPOUT & OUTLETS	ASSEMBLED DISTRIBUTOR FULLY LINED		
502469	DISTRIBUTOR TH 24"-4-45° FR P	497	37	291	37	23	56	77	862	885	918	939	995	1018		
502435	DISTRIBUTOR TH 24"-6-45° FB G	1240	50	473	37	23	99	108	1800	1823	1899	1908	2007	2030		
502434	DISTRIBUTOR TH 24"-6-45° FB P	1192	50	473	37	23	99	108	1752	1775	1851	1860	1959	1982		
502472	DISTRIBUTOR TH 24"-6-45° FR G	725	37	339	37	23	68	113	1138	1161	1206	1251	1319	1342		
502471	DISTRIBUTOR TH 24"-6-45° FR P	697	37	339	37	23	68	113	1110	1133	1178	1223	1291	1314		
502438	DISTRIBUTOR TH 24"-7-45° FB G	1205	50	512	37	23	109	126	1804	1827	1913	1930	2039	2062		
502437	DISTRIBUTOR TH 24"-8-45° FB G	1384	50	535	37	23	114	144	2006	2029	2120	2150	2264	2287		
502436	DISTRIBUTOR TH 24"-8-45° FB P	1331	50	535	37	23	114	144	1953	1976	2067	2097	2211	2234		
502474	DISTRIBUTOR TH 24"-8-45° FR G	952	44	391	37	23	81	148	1424	1447	1505	1572	1653	1676		
502473	DISTRIBUTOR TH 24"-8-45° FR P	915	44	391	37	23	81	148	1387	1410	1468	1535	1616	1639		